



www.glmmarine.com

Aluminium Anodes



MIL-A-24779 (SH)



www.glmmarine.com

*Why Change from Zinc to
Aluminum Anodes*

Pages 3-6

*Replacement Anodes for
Shaft Anodes*

Pages 7-9

*Replacement Anodes for
Donut Anodes*

Page 10

*Replacement Anodes for
Rudder Anodes*

Page 11

*Replacement Anodes for
Pencil Anodes & Plugs*

Pages 12-15

*Replacement Anodes for
MerCruiser*

Pages 16-20

*Replacement Anodes for
OMC/Volvo Penta*

Pages 21-27

*Replacement Anodes for
Johnson/Evinrude*

Pages 28-31

*Replacement Anodes for
Mercury/Mariner/Force*

Pages 32-35

*Replacement Anodes for
Yamaha*

Pages 36-39

*Replacement Anodes for
Suzuki*

Pages 40-41


*Replacement Anodes for
Honda*

Pages 42

Why Change from Zinc to Aluminum Anodes

Aluminum Anodes

Why the Change?



The Difference is Clear!



Aluminum anodes eliminate the layer that forms on zinc anodes which keeps them from working resulting in pre-mature replacement.



Aluminum anodes provide increased voltage potential for better protection.



Zinc anodes cause corrosion damage if used in salt, laden or polluted waters.



Zinc anodes over protect the drive and boil the paint off the surface.



Aluminum anodes are lighter and longer lasting than zinc anodes.

Why Change from Zinc to Aluminum Anodes

Why the Change?



Zinc anodes can be problematic when used in fresh water. Zinc hydroxide, an insulating layer of film, builds up and covers the zinc anodes causing failure in their corrosion protection.



GLM's aluminum anodes are 40% the weight of zinc anodes making your vessel's over all weight lighter, allowing better performance.



Aluminum anodes last up to 50% longer than zinc anodes due to the electrochemical capacity being 3x's greater than zinc's electrochemical capacity.



Aluminum has a high current capacity with a low driving potential per pound contributing to it's long life.



The electrochemical performance makes aluminum an ideal galvanic anode material for low resistivity environments such as salt and brackish waters.



Aluminum anodes are now the most widely used anode for cathodic protection of exposed metals to water.



Aluminum anodes self-clean in fresh water as well as activates again upon re-entry to the water after hull outs.



Although magnesium anodes are most popular for fresh water usage, aluminum anodes are suitable for all types of water making them the better choice for boats that travel in salt and fresh water.



Aluminum anodes are designed for optimum performance in a variety of temperature ranges and environmental conditions.



GLM cast our aluminum anodes in a variey of sizes and weights to accomodate all your cathodic protection needs.

Why Change from Zinc to Aluminum Anodes

Why the Change?

| Zinc Anodes | Aluminum Anodes |
|--|--|
| 355 Ampere hours per lb. | 1225 Ampere hours per lb. |
| This means a Zinc anode will give one amp for 355 hours for every pound of zinc. | This means an Aluminum anode will give one amp for 1225 hours for every pound of aluminum. |
| A typical Z3 weighs 10.3 lbs. | A typical AZ3 weighs 5 lbs. |
| Total ampere hours 3656. | Total ampere hours 6125. |
| Assuming anode performs at .4 amp. | Assuming anode performs at .4 amp. |
| This anode will last for 9140 hours. | This anode will last for 15312 hours. |
| Which is 381 days. | Which is 638 days. |
| Which is 12.5 months. | Which is 19 months. |

Aluminum Anodes...



High current capacity under a variety of conditions.



Current capacity maintenance with time.



Desireable operating potential.



Constant potential with time.



MerCruiser recommends the use of aluminum anodes on all their sterndrives after 2001.

Why Change from Zinc to Aluminum Anodes

GLM uses Only the Best Aluminum Alloys!

All aluminum anode die-cast designs are by GLM Products, Inc. U.S.A. We use only the best materials to make our aluminum anodes!

GLM uses "Al-Zn-In" alloys proven to be the best after optimisation of the composition has been tested in University laboratories. The addition of Indium is a benefactor of aluminum acting as a depassivating agent making the materials GLM Product, Inc. uses the most reliable casting Aluminum on the market.



MIL-A-24779 (SH)

| | |
|----------|----------------------|
| Copper | 0.004% max |
| Iron | 0.09% max |
| Indium | 0.014 - 0.02% max |
| Mercury | 0.001% max |
| Silicon | 0.08 - 0.20% |
| Zinc | 4.0% - 6.5% |
| Aluminum | Balance (high grade) |

2760 Ampere hours per Kg.



Aluminum anodes are environmentally friendly.



Aluminum anodes are more active and provide better protection than zinc anodes.



Different types of anodes such as zinc and aluminum should never be mixed.

GLM's Aluminum Anodes are your BEST CHOICE for Cathodic Protection in Fresh, Salt & Brackish Waters!

Replacement Anodes for Shaft Anodes

INCH SIZES



No. 26600
Aluminum Anode
Code: X-1

Standard
ID: \varnothing 3/4"
OD: \varnothing 2-1/8"
H: 2"



No. 26601
Aluminum Anode
Code: X-2

Standard
ID: \varnothing 7/8"
OD: \varnothing 2-1/8"
H: 2"



No. 26603
Aluminum Anode
Code: X-3

Standard
ID: \varnothing 1"
OD: \varnothing 2-1/8"
H: 2"



No. 26605
Aluminum Anode
Code: X-4

Standard
ID: \varnothing 1-1/8"
OD: \varnothing 2-1/8"
H: 2"



No. 26607
Aluminum Anode
Code: X-5

Standard
ID: \varnothing 1-1/4"
OD: \varnothing 2-1/4"
H: 2-1/2"



No. 26608
Aluminum Anode
Code: X-5A

Heavy Duty
ID: \varnothing 1-1/4"
OD: \varnothing 2-1/2"
H: 2-5/8"



Replacement Anodes for Shaft Anodes



No. 26610
Aluminum Anode
Code: X-6

Standard
ID: \varnothing 1-3/8" (35mm)
OD: \varnothing 2-1/2" (65mm)
H: 2-5/8" (67mm)



No. 26611
Aluminum Anode
Code: X-7

Standard
ID: \varnothing 1-1/2"
OD: \varnothing 2-1/2"
H: 2-5/8"



No. 26613
Aluminum Anode
Code: X-8

Standard
ID: \varnothing 1-3/4"
OD: \varnothing 3-1/4"
H: 2-3/4"



No. 26616
Aluminum Anode
Code: X-9

Standard
ID: \varnothing 2"
OD: \varnothing 3-1/4"
H: 2-3/4"



No. 26618
Aluminum Anode
Code: X-10

Standard
ID: \varnothing 2-1/4"
OD: \varnothing 4-1/4"
H: 3-3/4"



No. 26620
Aluminum Anode
Code: X-11

Standard
ID: \varnothing 2-1/2"
OD: \varnothing 4-1/4"
H: 3-3/4"



Replacement Anodes for Shaft Anodes



No. 26624
Aluminum Anode
Code: X-13

Standard
ID: \varnothing 3"
OD: \varnothing 4-3/4"
H: 3-5/8"



METRIC SIZES (mm)



No. 26602
Aluminum Anode
Code: D-25

Standard
ID: \varnothing 25mm
OD: \varnothing 54mm
H: 51mm



No. 26606
Aluminum Anode
Code: D-30

Standard
ID: \varnothing 30mm
OD: \varnothing 64mm
H: 66mm



No. 26612
Aluminum Anode
Code: D-40

Standard
ID: \varnothing 40mm
OD: \varnothing 89mm
H: 86mm



No. 26615
Aluminum Anode
Code: D-50

Standard
ID: \varnothing 50mm
OD: \varnothing 89mm
H: 86mm



Replacement Anodes for Donut Anodes

**No. 26661**

Aluminum Anode
Code: C-1

Shaft Size: 3/4"
Outside ø: 2-1/8"
Thickness: 1"

No. 26662

Aluminum Anode
Code: C-2

Shaft Size: 7/8"
Outside ø: 2-1/8"
Thickness: 1"

No. 26663

Aluminum Anode
Code: C-3

Shaft Size: 1"
Outside ø: 2-1/2"
Thickness: 1-1/4"

No. 26664

Aluminum Anode
Code: C-4

Shaft Size: 1-1/8"
Outside ø: 2-1/2"
Thickness: 1-1/4"

No. 26665

Aluminum Anode
Code: C-5

Shaft Size: 1-1/4"
Outside ø: 2-1/2"
Thickness: 1-1/4"

No. 26666

Aluminum Anode
Code: C-6

Shaft Size: 1-3/8"
Outside ø: 3"
Thickness: 1-1/4"

No. 26667

Aluminum Anode
Code: C-7

Shaft Size: 1-1/2"
Outside ø: 3"
Thickness: 1-1/4"

No. 26668

Aluminum Anode
Code: C-8

Shaft Size: 1-3/4"
Outside ø: 3-1/2"
Thickness: 1-3/8"

No. 26669

Aluminum Anode
Code: C-9

Shaft Size: 2"
Outside ø: 3-1/2"
Thickness: 1-3/8"

No. 26670

Aluminum Anode
Code: C-11

Shaft Size: 2-1/4"
Outside ø: 3-1/2"
Thickness: 1-3/8"

No. 26671

Aluminum Anode
Code: C-12

Shaft Size: 2-1/2"
Outside ø: 5"
Thickness: 1-1/2"

No. 26672

Aluminum Anode
Code: C-12A

Shaft Size: 2-3/4"
Outside ø: 5"
Thickness: 1-1/2"

No. 26673

Aluminum Anode
Code: C-13

Shaft Size: 3"
Outside ø: 5"
Thickness: 1-1/2"

No. 26674

Aluminum Anode
Code: C-14

Shaft Size: 3-1/2"
Outside ø: 6-1/2"
Thickness: 1-1/2"



Replacement Anodes for Rudder Anodes



No. 26650
Aluminum Anode
Code: R-1

Standard
OD: \varnothing 1-7/8"
Thickness: 1/4"



No. 26651
Aluminum Anode
Code: R-2

Standard
OD: \varnothing 2-13/16"
Thickness: 1/2"



No. 26652
Aluminum Anode
Code: R-3

Standard
OD: \varnothing 3-3/4"
Thickness: 1/2"



No. 26654
Aluminum Anode
Code: R-4

Standard
OD: \varnothing 5"
Thickness: 5/8"



No. 26655
Aluminum Anode
Code: R-5

Standard
OD: \varnothing 5-1/8"
Thickness: 7/8"



No. 26656
Aluminum Anode
Code: R-7

Standard
OD: \varnothing 6-1/2" to 7"
Thickness: 7/8"



Replacement Anodes for Pencil Anodes



No. 12919
Aluminum Pencil Anode Kit
Code: 00

Plug: 1/8"
Anode ø: 1/4"
Anode Length: 2"
Anode Thread: 1/4-20



No. 11961
Aluminum Pencil Anode
Without Plug



No. 12922
Aluminum Pencil Anode Kit
Code: 0

Plug: 1/4"
Anode ø: 3/8"
Anode Length: 1-3/4"
Anode Thread: 5/16-18



No. 11963
Aluminum Pencil Anode
Without Plug



No. 12923
Aluminum Pencil Anode Kit
Code: 0A

Plug: 1/4"
Anode ø: 3/8"
Anode Length: 2-1/2"
Anode Thread: 5/16-18



No. 11964
Aluminum Pencil Anode
Without Plug



No. 12924
Aluminum Pencil Anode Kit
Code: 0B

Plug: 1/4"
Anode ø: 3/8"
Anode Length: 3/4"
Anode Thread: 5/16-18



No. 11965
Aluminum Pencil Anode
Without Plug



No. 12925
Aluminum Pencil Anode Kit
Code: N/A

Plug: 3/8"
Anode ø: 3/8"
Anode Length: 2"
Anode Thread: 3/8-16



No. 11966
Aluminum Pencil Anode
Without Plug



No. 12926
Aluminum Pencil Anode Kit
Code: 1H

Plug: 3/8"
Anode ø: 1/2"
Anode Length: 1-5/8"
Anode Thread: 3/8-16



No. 11967
Aluminum Pencil Anode
Without Plug

Replacement Anodes for Pencil Anodes



No. 12927

Aluminum Pencil Anode Kit
Code: 1

Plug: 3/8"
Anode \varnothing : 1/2"
Anode Length: 2"
Anode Thread: 3/8-16



No. 12928

Aluminum Pencil Anode Kit
Code: 1D

Plug: 3/8"
Anode \varnothing : 1/2"
Anode Length: 1-3/4"
Anode Thread: 3/8-16



No. 12929

Aluminum Pencil Anode Kit
Code: 1E

Plug: 3/8"
Anode \varnothing : 1/2"
Anode Length: 1-1/2"
Anode Thread: 3/8-16



No. 12931

Aluminum Pencil Anode Kit
Code: 1F

Plug: 3/8"
Anode \varnothing : 1/2"
Anode Length: 1-1/4"
Anode Thread: 3/8-16



No. 12932

Aluminum Pencil Anode Kit
Code: 1G

Plug: 3/8"
Anode \varnothing : 1/2"
Anode Length: 1"
Anode Thread: 3/8-16



No. 12934

Aluminum Pencil Anode Kit
Code: 2

Plug: 1/2"
Anode \varnothing : 5/8"
Anode Length: 2"
Anode Thread: 7/16-14



No. 11974

Aluminum Pencil Anode
Without Plug

Replacement Anodes for Pencil Anodes & Plugs



No. 12935
Aluminum Pencil Anode Kit
Code: 2A

Plug: 1/2"
Anode ø: 5/8"
Anode Length: 1-1/4"
Anode Thread: 7/16-14



No. 11975
Aluminum Pencil Anode
Without Plug



No. 12936
Aluminum Pencil Anode Kit
Code: 2B

Plug: 1/2"
Anode ø: 5/8"
Anode Length: 3"
Anode Thread: 7/16-14



No. 11976
Aluminum Pencil Anode
Without Plug



No. 12937
Aluminum Pencil Anode Kit
Code: 2C/D

Plug: 1/2"
Anode ø: 5/8"
Anode Length: 1-5/8"
Anode Thread: 7/16-14



No. 11977
Aluminum Pencil Anode
Without Plug



No. 12939
Aluminum Pencil Anode Kit
Code: 3

Plug: 3/4"
Anode ø: 3/4"
Anode Length: 2"
Anode Thread: 1/2-13

No. 11979
Aluminum Pencil Anode
Without Plug



No. 12691
Aluminum Pencil Anode Kit
Code: 3A

Plug: 3/4"
Anode ø: 3/4"
Anode Length: 3/4"
Anode Thread: 1/2-13

No. 12692
Aluminum Pencil Anode
Without Plug



No. 12942
Aluminum Pencil Anode Kit
Code: 4

Plug: 3/4"
Anode ø: 3/4"
Anode Length: 3-3/8"
Anode Thread: 1/2-13

No. 11981
Aluminum Pencil Anode
Without Plug



Replacement Anodes for Pencil Anodes & Plugs



No. 12943
Aluminum Pencil Anode Kit
Code: 5

Plug: 3/4"
Anode \varnothing : 3/4"
Anode Length: 3-5/8"
Anode Thread: 1/2-13



No. 11982
Aluminum Pencil Anode
Without Plug



No. 12693
Aluminum Pencil Anode Kit
Code: N/A

Plug: 3/4"
Anode \varnothing : 3/4"
Anode Length: 1-1/2"
Anode Thread: 1/2-13



No. 12694
Aluminum Pencil Anode
Without Plug



No. 12946
Aluminum Pencil Anode Kit
Code: 7

Plug: 1"
Anode \varnothing : 1-1/16"
Anode Length: 5"
Anode Thread: 3/4-10



No. 11985
Aluminum Pencil Anode
Without Plug



No. 21881
Brass Plug

N.P.T.: 1/8"
Anode Thread: 1/4-20

No. 21882
Brass Plug

N.P.T.: 1/4"
Anode Thread: 5/16-18

No. 21883
Brass Plug

N.P.T.: 3/8"
Anode Thread: 3/8-16

No. 21871
Brass Plug

N.P.T.: 1/2"
Anode Thread: 7/16-14

No. 21895
Brass Plug

N.P.T.: 3/4"
Anode Thread: 1/2-13

No. 21873
Brass Plug

N.P.T.: 1"
Anode Thread: 3/4-10

No. 12789
Aluminum Anode
OEM: 838929

For Volvo Use Only
For Diesel Engine,
MD19, 21, 27, 29,
32, AQ30, 31, 40, 41



Replacement Anodes for MerCruiser



No. 12672
Aluminum Anode Kit
OEM: N/A

Mounts on MR /
Alpha One (1984-1990)
Trim Cylinder



No. 12754
Aluminum Anode Kit
OEM: 888756Q02

For All MR /
Alpha One
(1984-1990)



No. 12722
Aluminum Anode Kit
OEM: 888756Q03

For All Alpha One
Gen II Drives



No. 12724
Aluminum Anode Kit
OEM: 888758Q01

For All Bravo I
Drives



No. 12726
Aluminum Anode Kit
OEM: 888761Q03

For All Bravo II
(1988 & Up)
& Bravo III
(1995-2002)



No. 12891
Aluminum Anode Kit
OEM: 888761Q04

For Bravo III
(2003 & Up)



Replacement Anodes for MerCruiser



No. 12711
Aluminum Anode
OEM: 821629Q1

For Alpha One
Gen II



No. 12712
Aluminum Anode
OEM: 821630Q1

For All Bravo




No. 12670
Aluminum Anode
OEM: 31640Q4

For R / MR /
Alpha One
Trim Tabs



No. 12702
Aluminum Anode
OEM: 806105Q1

Mounts on
Alpha One Gen II
Prop Shaft Carriers



No. 12703
Aluminum Anode
OEM: 806189Q1

Mounts on
Alpha One Gen II
Trim Cylinder



No. 12704
Aluminum Anode
OEM: 806190Q1

Mounts on All
Bravo & Blackhawk
Trim Cylinders



Replacement Anodes for MerCruiser



No. 12713
Aluminum Anode
OEM: 821631Q1

Mounts on
Transom



No. 12750
Aluminum Anode
OEM: 34762A1

Anodic Plate




No. 12700
Aluminum Anode
OEM: 55989Q9

Mounts on
Transom



No. 12723
Aluminum Anode
OEM: 8M0030655

Bolt Kit Mounts
on Transom



No. 12710
Aluminum Anode
OEM: 76214Q5

12710 = Alpha One
Gen II & All Bravo



No. 12734
Aluminum Anode
OEM: 76214-4

12734 = Bravo III
Trim Tab - Flat



Replacement Anodes for MerCruiser



No. 12727
Prop Nut Anode Kit
OEM: 809658A1

Shaft Size: 3/4"
Thread: 1/2 NC 13



No. 12706
Prop Nut Anode Kit
OEM: 809660A1

Shaft Size: 7/8"
Thread: 5/8 NC 11



No. 12717
Prop Nut Anode Kit
OEM: 809662A1

Shaft Size: 1"
Thread: 3/4 NC 10



No. 12718
Prop Nut Anode Kit
OEM: 809664A1

Shaft Size: 1-1/8"
Thread: 3/4 NF 16



No. 12708
Prop Nut Anode Kit
OEM: 809666A1

Shaft Size: 1-1/4"
Thread: 7/8 NC 9



No. 12729
Prop Nut Anode Kit
OEM: 809668A1

Shaft Size: 1-1/4"
Thread: 7/8 NF 14



Replacement Anodes for MerCruiser



No. 12728
Aluminum Anode
OEM: 809658

For Kit No. 12727
ø 1-1/4" x 1-1/2" L



No. 12705
Aluminum Anode
OEM: 809660

For Kit No. 12706
ø 1-5/8" x 2" L



No. 12707
Aluminum Anode
OEM: 809662T

For Kit No. 12717
For Kit No. 12718
ø 2" x 2-5/8" L



No. 12758
Aluminum Anode
OEM: 809666T

For Kit No. 12708
For Kit No. 12729
ø 2-5/16" x 3" L



No. 12765
Aluminum Anode
OEM: 865182A01

For Kit No. 12891
ø 2-1/8" x 2-3/8" L



No. 12756
Aluminum Anode
OEM: 806188A1

Mounts on Bravo
Prop Shaft Carrier



Replacement Anodes for OMC/Volvo Penta



No. 12892
Aluminum Anode Kit
OEM: N/A

For Stringer
(1978-1985)



No. 12893
Aluminum Anode Kit
OEM: N/A

For Cobra
(1986-1993)



No. 12894
Aluminum Anode Kit
OEM: N/A

For AQ200



No. 12895
Aluminum Anode Kit
OEM: N/A

For AQ250, 270
270T, 275



No. 12896
Aluminum Anode Kit
OEM: N/A

For AQ280, 280T
280PT



No. 12898
Aluminum Anode Kit
OEM: N/A

For AQ280DP



Replacement Anodes for OMC/Volvo Penta



No. 12897
Aluminum Anode Kit
OEM: N/A

For AQ290, 290A



No. 12899
Aluminum Anode Kit
OEM: N/A

For AQ290DP




No. 12933
Aluminum Anode Kit
OEM: N/A

For DPH-A/B



No. 12948
Aluminum Anode Kit
OEM: N/A

For DPR-A/B



No. 12921
Aluminum Anode Kit
OEM: N/A

For SX-S, C,
R, M, DP-S,
& SM



No. 12938
Aluminum Anode Kit
OEM: N/A

For SXA-DPSA



Replacement Anodes for OMC/Volvo Penta



No. 12773
Aluminum Anode
OEM: 983494

For Stringer
(1984-1985)
For Cobra
(1986)



No. 12776
Aluminum Anode
OEM: 436745

For Stringer
(1982-1985)
For Cobra except
460 (1986-1993)



No. 12737
Aluminum Anode
OEM: 431708

For Cobra
(1986-1993)



No. 12774
Aluminum Anode
OEM: 3853818

For Cobra
(1987-1994)



No. 12683
Aluminum Anode
OEM: 397768

For 460 Cobra
(1987-1989)



No. 12789
Aluminum Anode
OEM: 838929

For Diesel Engine
MD19, 21, 27,
29, 32, AQ30,
31, 40 & 41



Replacement Anodes for OMC/Volvo Penta



No. 12775
Aluminum Anode
OEM: 984547

For Cobra
(1986-1989)



No. 12698
Aluminum Anode
OEM: 3853930

For Cobra
(1990-1993)



No. 12699
Aluminum Anode
OEM: 3854130

For Cobra
(1994-1998)




No. 12682
Aluminum Anode
OEM: 3854061

For King Cobra
(1990-1995)



No. 12681
Aluminum Anode
OEM: 3852970

For Cobra
(1994-1998)
For King Cobra
(1990-1995)



No. 12783
Aluminum Anode
OEM: 875810

For AQ100,
100B, & 100S



Replacement Anodes for OMC/Volvo Penta



No. 12786
Aluminum Anode
OEM: 875812

For AQ110S



No. 12781
Aluminum Anode
OEM: 876286

For AQ120S,
120 SB



No. 12785
Aluminum Anode
OEM: 875809

For AQ200



No. 12784
Aluminum Anode
OEM: 875805

For AQ250, 270
270T, 275



No. 12788
Aluminum Anode
OEM: 875821

For AQ280DP,
290DP



No. 12787
Aluminum Anode
OEM: 875815

For AQ280, 280T,
280PT, 290, 290A



Replacement Anodes for OMC/Volvo Penta



No. 12780
Aluminum Anode
OEM: 832598

For AQ200, 250
270, 275, 280
280DP



No. 12782
Aluminum Anode
OEM: 852835

For AQ290,
290DP



No. 12778
Aluminum Anode
OEM: 872793

For 290, 290DP,
DP-X



No. 12777
Aluminum Anode
OEM: 3855411

For Volvo Cobra
SX, DP-S/SI



No. 12973
Aluminum Anode
OEM: 3588748

For DPH-A/B



No. 12972
Aluminum Anode
OEM: 3588770

For DPH-A/B
& DPR-A/B



Replacement Anodes for OMC/Volvo Penta



No.12974
Aluminum Anode
OEM: 3589876

For DPR-A/B



No.12975
Aluminum Anode
OEM: 3888816

For SXA-DPSA



No.12976
Aluminum Anode
OEM: 3888813

For SXA-DPSA



Replacement Anodes for Johnson/Evinrude



No. 12695
Aluminum Anode Kit
OEM: 392461

For 50-75 HP
(1982-1984) Except
55 & 65 Commercial



No. 12696
Aluminum Anode Kit
OEM: 392160

For V4 & V6
(1982-1986)



No. 12697
Aluminum Anode Kit
OEM: 434029

For 20-35 HP
(1991 & Up)



No. 12736
Aluminum Anode
OEM: 433458

Midsection for
3-Cyl. V8
(1985 & Up)



No. 12738
Aluminum Anode
OEM: 392462

For 55-75 HP
(1985-2001)



No. 12776
Aluminum Anode
OEM: 436745

For V4 & V6
(1982 & Up)



Replacement Anodes for Johnson/Evinrude



No.12733
Aluminum Anode
OEM: 392123

For V4 & V6
(1982-1986)



No.12730
Aluminum Anode
OEM: 173029

For All Outboards



No.12742
Aluminum Anode
OEM: 398873

For 40-50 HP
(1989 & Up)



No.12739
Aluminum Anode
OEM: 433580

For 3-Cyl. V6
(1991 & Up)



No.12762
Aluminum Anode
OEM: 338635

For 4-Stroke
9.9-15 HP
(1995-2001)



No.12737
Aluminum Anode
OEM: 431708

For 40 HP V8
(1988-1991)



Replacement Anodes for Johnson/Evinrude



No. 12683
Aluminum Anode
OEM: 397768

For 155 HP
(1987-1990)
For 250 HP
(1991-1998)



No. 12761
Aluminum Anode
OEM: 432397

For 4, 6, 8 HP
(1985-1990)



No. 12763
Aluminum Anode
OEM: 5034351

For 4-Stroke
40-50 HP
(2004 & Up)



No. 12857
Aluminum Anode
OEM: 5030907

For 4-Stroke
60, 70, 90, 115,
140 HP (2004 & Up)



Replacement Anodes for Johnson/Evinrude



No. 12727
Prop Nut Anode Kit
OEM: N/A

Shaft Size: 3/4"
Thread: 1/2 NC 13



No. 12706
Prop Nut Anode Kit
OEM: N/A

Shaft Size: 7/8"
Thread: 5/8 NC 11



No. 12718
Prop Nut Anode Kit
OEM: N/A

Shaft Size: 1-1/8"
Thread: 3/4 NF 16



No. 12728
Aluminum Anode
OEM: N/A

For Kit No. 12727
ø 1-1/4" x 1-1/2" L



No. 12705
Aluminum Anode
OEM: N/A

For Kit No. 12706
ø 1-5/8" x 2" L



No. 12707
Aluminum Anode
OEM: N/A

For Kit No. 12718
ø 2" x 2-5/8" L



Replacement Anodes for Mercury/Mariner/Force



No. 26810
Aluminum Anode Kit
OEM: 97-8M0107548
97-8M0107549

For 75, 80, 90
100, 115 EFI



No. 26800
Aluminum Anode Kit
OEM: 97-8M0107546
97-8M0107547

For F30, F40
& F60 HP



No. 12945
Aluminum Anode Kit
OEM: 97-8M0107550
97-8M0107551

For VERADO
4-Cylinder &
V6 Optimax 2.5/3.0L



No. 12944
Aluminum Anode Kit
OEM: 97-8M0126670

For VERADO
6-Cylinder



No. 12675
Aluminum Anode
OEM: 826134Q

For Applications See
Merc/Mar/Force
Catalog



No. 12690
Aluminum Anode
OEM: 818298Q1

For Applications See
Merc/Mar/Force
Catalog



Replacement Anodes for Mercury/Mariner/Force




No. 26675
Aluminum Anode
OEM: 880653

For Verado
6-Cylinder



No. 26676
Aluminum Anode
OEM: 893404

For Verado
6-Cylinder



No. 12947
Aluminum Anode
OEM: 822157T03

For F30, F40
& F60 HP



No. 12670
Aluminum Anode
OEM: 31640Q4

For Applications See
Merc/Mar/Force
Catalog



No. 12710
Aluminum Anode
OEM: 76214Q5

For Applications See
Merc/Mar/Force
Catalog



No. 12676
Aluminum Anode
OEM: 822157T2

For Applications See
Merc/Mar/Force
Catalog



Replacement Anodes for Mercury/Mariner/Force



No. 12680
Aluminum Anode
OEM: 822777Q1

For Applications See
Merc/Mar/Force
Catalog



No. 12706
Prop Nut Anode Kit
OEM: 809660A1

Shaft Size: 7/8"
Thread: 5/8 NC 11



No. 12717
Prop Nut Anode Kit
OEM: 809662A1

Shaft Size: 1"
Thread: 3/4 NC 10



No. 12718
Prop Nut Anode Kit
OEM: 809664A1

Shaft Size: 1-1/8"
Thread: 3/4 NF 16



No. 12705
Aluminum Anode
OEM: 809660

For Kit No. 12706
ø 1-5/8" x 2" L



No. 12707
Aluminum Anode
OEM: 809662T

For Kits No. 12717,12718
ø 2" x 2-5/8" L



Replacement Anodes for *Mercury/Mariner/Force*



No. 12720
Aluminum Anode
OEM: 89949A1

For Applications See
Merc/Mar/Force
Catalog



Replacement Anodes for Yamaha



No. 26910
Aluminum Anode Kit
OEM: N/A

For 4T-40-60 HP



No. 26920
Aluminum Anode Kit
OEM: N/A

For 60-90 HP



No. 26930
Aluminum Anode Kit
OEM: N/A

For 150-200 HP



No. 26940
Aluminum Anode Kit
OEM: N/A

For 150-200 HP
Counter Rotation



No. 26950
Aluminum Anode Kit
OEM: N/A

For 200-250 HP



No. 26960
Aluminum Anode Kit
OEM: N/A

For 200-300 HP



Replacement Anodes for Yamaha



No. 26677
Aluminum Anode
OEM: 67C-45251-00

For 4T-40-60 HP



No. 12743
Aluminum Anode
OEM: 664-45371-01

For 20-50 HP



No. 12844
Aluminum Anode
OEM: 61N-45251-01

For F25, C30 HP



No. 12748
Aluminum Anode
OEM: 6E0-45251-11

For 40 HP



No. 12882
Aluminum Anode
OEM: 6E5-45251-00

For 115-200 HP



No. 12886
Aluminum Anode
OEM: 688-45251-01

For 40-90 HP



No. 12884
Aluminum Anode
OEM: 6H1-45251-02

For 40-90 HP



Replacement Anodes for Yamaha



No. 12688

Aluminum Anode
OEM: 62Y-11325-00

For 40-200 HP



No. 12881

Aluminum Anode
OEM: 67F-45371-02

For 60, 70, 90 HP (1984-Up)
C60, C75, C85, C90 HP
(1994-01), E60, E75, F50,
P60, P75, T50 HP



No. 12845

Aluminum Anode
OEM: 67C-45371-00

For 80-100 HP



No. 12735

Aluminum Anode
OEM: 67F-11325-01

For 80-100 HP



No. 12741

Aluminum Anode
OEM: 67F-11325-00

For 80-100 HP



No. 12749

Aluminum Anode
OEM: 68V-11325-02

For Cylinder Head



No. 12744

Aluminum Anode
OEM: 6E5-45371-01

For 115, 130 HP
V6



Replacement Anodes for Yamaha



No. 12885

Aluminum Anode
OEM: 6G5-45251-02

For 115-225 HP



No. 12843

Aluminum Anode
OEM: 6K1-45371-02

For 120, 200 HP
Counter Rotation



No. 12883

Aluminum Anode
OEM: 6J9-45371-00

For 150 HP



No. 12745

Aluminum Anode
OEM: 6K1-45371-00

For 150, 200 HP



No. 12842

Aluminum Anode
OEM: 61A-45371-00

For 200, 225, 250



No. 26678

Aluminum Anode
OEM: 69L-45371-00

For 200-300 HP



No. 12684

Aluminum Anode
OEM: 682-11325-00

Small Plate
for Engine



Replacement Anodes for Yamaha



No. 12685
Aluminum Anode
OEM: 63P-11325-01

Cube for Engine



No. 12686
Aluminum Anode
OEM: 63P-11325-11

Cube for Engine



No. 12687
Aluminum Anode
OEM: 63P-11325-21

Washer Anode



No. 12689
Aluminum Anode
OEM: 68T-11325-00

Long Washer Anode



No. 12716
Aluminum Anode
OEM: 61A-11325-00

Pencil Anode




Replacement Anodes for Suzuki



No. 12846
Aluminum Anode
OEM: 11130-94600

For DF60/70
(1998-2003)
For DT5-175
(1983-2006)



No. 12847
Aluminum Anode
OEM: 11281-87D00

For DT75-225
(1986-2003)



No. 12848
Aluminum Anode
OEM: 41810-87D00

For DT90-225
(1986-2003)



No. 12849
Aluminum Anode
OEM: 55120-87801

For DT150-225
(1986-2003)



No. 12855
Aluminum Anode
OEM: 55125-95500

For DF40/50
(1999-2006)
For DT40-85
(1983-2000)



No. 12856
Aluminum Anode
OEM: 55125-96310

For DF25/30
(2000-2003)
For DT20-35
(1983-2000)



Replacement Anodes for Suzuki



No. 12857
Aluminum Anode
OEM: 55320-94900

For DF60-250
(2001-2006)
For DT115/140
(1996-2001)



No. 12887
Aluminum Anode
OEM: 55320-95310

For DF9.9-250
(1997-2006)
For DT4-225
(1983-2006)



Replacement Anodes for Honda



No. 12858
Aluminum Anode
OEM: 12155-ZV5-000

Mounts inside water passages on both intake and exhaust side.



No. 12675
Aluminum Anode
OEM: 41109-ZW1-003

Mounts on each side of extension case.



No. 12859
Aluminum Anode
OEM: 06411-ZW1-000

Mounts on bottom stern bracket.



No. 12861
Aluminum Anode
OEM: 41109-ZW1-B00

Mounts on each side of extension case



No. 12670
Aluminum Anode
OEM: 41107-ZW1-003ZA

For BF75-BF90 HP



No. 12748
Aluminum Anode
OEM: 41106-935-812

For 4-5 HP



No. 12743
Aluminum Anode
OEM: 41107-ZV5-000

For 20-50 HP



\$0.00 Digital Copy

GAN24V1



**The Leader of the Aftermarket
Marine Parts Industry.**



705 Los Angeles Ave., Monrovia, CA 91016 USA
TEL (626) 357-0077, FAX (626) 357-0600
info@glmmarine.com